

Observer nTAP Solutions

TAP appliances let you access data
with ease and speed


Observer nTAP

A Network Access Point for Any Device

Observer nTAP™ devices are passive and full duplex, offering complete visibility to monitoring devices regardless of traffic level. They work with the leading management tools for quick and easy deployment. nTAPs are transparent for monitoring critical links, and provide continuous network data flow even if power fails. They are scalable, modularized, and economical.

High-Density Optical nTAP

Access up to 24 full-duplex links with the easy-to-deploy high-density optical nTAP (HDOT).



nTAP Options

Optical nTAPs

For use on full-duplex optical links. Attach to an optical monitoring device equipped with a dual-receive capture card. Available in 1, 10, 40 and 100 G speeds.

One channel



Two channel



Three channel



Optical 40 G



Copper nTAPs

Gain full visibility into links with sturdy, easy-to-install copper nTAPs. Feed analyzers, security devices, and more without fear of lost data.

10/100 copper



10/100/1000 copper



Aggregator and Conversion nTAPs

When analyzers and other monitoring devices communicate over different topologies than the network, aggregator and conversion nTAPs can bridge the gap.

10/100/1000 aggregator



Optical-to-copper aggregator



10/100/1000 conversion aggregator



Optical-to-copper conversion



10/100/1000 copper-to-optical conversion





Cono Sur

+54 11 5368-4400

info@tecnous.com

Av. Caseros 824 (C1152AAR), Buenos Aires, Argentina.

Centro América, Caribe y US

+ 1 (305) 529-3667

info@tecnous.com

6735 NW 36th Street Suite 390 | Miami, FL 33166



VIAVI Solutions

Contact Us

+1 844 GO VIAVI
(+1 844 468 4284)

To reach the VIAVI office nearest you,
visit viavisolutions.com/contact.

© 2018 VIAVI Solutions, Inc.
Product specifications and descriptions in this
document are subject to change without notice.
dataaccess-br-ec-ae
30176190 902 0718